


**Table of Contents**

1	Title
2	Notes
3	Sensors

**Revisions**

Rev	Description	Date
A	Original Release	05-22-15

# BRKTSTBC-A8491

		<b>RF, Analog &amp; Sensor Group</b> 6501 William Cannon Drive West Austin, TX 78735-6588	
<small>This document contains information proprietary to Freescale Semiconductor and shall not be used for engineering design, procurement or manufacture in whole or in part without the express written permission of Freescale Semiconductor.</small>			
Designer: Sahil C		ICAP Classification: FCP: FIUO: X PUBL:	
Drawing Title: Sahil C		<b>BRKTSTBC-A8491</b>	
Drawn by: Sahil C		Page Title: <b>CONTENT</b>	
Approved: Team		Size C	Document Number SCH-28992
Date: Friday, September 11, 2015		Sheet 1	of 3

1. Unless Otherwise Specified:

All resistors are in ohms, most are 1%, 1/10 Watt. Otherwise are 5%, 1/8 Watt.

All capacitors are in uF, some are 10% or 20%

All voltages are DC

All polarized capacitors are tantalum

2. Interrupted lines coded with the same letter or letter combinations are electrically connected.

3. Device type number is for reference only. The number varies with the manufacturer.

4. Special signal usage:

\_B Denotes - Active-Low Signal

<> or [] Denotes - Vectored Signals


5. Interpret diagram in accordance with American National Standards Institute specifications, current revision, with the exception of logic block symbology.



ICAP Classification: FCP: _____ FIUC: X PUBL: _____			
Drawing Title: <b>BRKTSTBC-A8491</b>			
Page Title: <b>NOTES</b>			
Size C	Document Number SCH-28992	Date: Friday, September 11, 2015	Rev A
Date: Friday, September 11, 2015		Sheet 2 of 3	

EDGE OF BRKOUT BOARD

MMA8491  
I2C ADDRESS: 0x55



ICAP Classification:		FCP:	FIUC: X	PUBI:
Drawing Title:				
<b>BRKTSTBC-A8491</b>				
Page Title:				
<b>SENSORS</b>				
Size	Document Number			Rev
C	SCH-28992			A
Date:	Friday, September 11, 2015	Sheet	3	of 3