


**Table of Contents**

1	Title
2	Notes
3	Sensors

**Revisions**

Rev	Description	Date
A	Original Release	9-11-15

# FRDMSTBC-A8491

		<b>RF, Analog &amp; Sensor Group</b> 6501 William Cannon Drive West Austin, TX 78735-6588	
<small>This document contains information proprietary to Freescale Semiconductor and shall not be used for engineering design, procurement or manufacture in whole or in part without the express written permission of Freescale Semiconductor.</small>			
Designer: Sahil C		ICAP Classification: FCP FIUC: X PUBI:	
Drawing Title: Sahil C		<b>FRDMSTBC-A8491</b>	
Drawn by: Sahil C		Page Title: <b>CONTENT</b>	
Approved: Team		Size C	Document Number SCH-28977
Date: Tuesday, November 10, 2015		Rev A	Sheet 1 of 4

1. Unless Otherwise Specified:

All resistors are in ohms, most are 1%, 1/10 Watt. Otherwise are 5%, 1/8 Watt.

All capacitors are in uF, some are 10% or 20%

All voltages are DC

All polarized capacitors are tantalum

2. Interrupted lines coded with the same letter or letter combinations are electrically connected.

3. Device type number is for reference only. The number varies with the manufacturer.

4. Special signal usage:

\_B Denotes - Active-Low Signal

<> or [] Denotes - Vectored Signals

5. Interpret diagram in accordance with American National Standards Institute specifications, current revision, with the exception of logic block symbology.



ICAP Classification: FCP: FIUC: X PUBI:

Drawing Title:

**FRDMSTBC-A8491**



Page Title:

**NOTES**


Size	Document Number	Rev
C	SCH-28977	A

Date: Tuesday, November 10, 2015 Sheet 2 of 4

EDGE OF BRKOUT BOARD



MMA8491  
I2C ADDRESS: 0x55



ICAP Classification: FCP: _____		FIUC: X		PUB: _____	
Drawing Title: <b>BRKTSTBC-A8491</b>					
Page Title: <b>SENSORS</b>					
Size	Document Number				Rev
C	SCH-28977				A
Date:	Tuesday, November 10, 2015	Sheet	3	of	4

