



Test Report No.: ETR22103720 Date: 27-Jan-2022 Page: 1 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

The following sample(s) was/were submitted and identified by/on behalf of the applicant as:

Sample Submitted By : UNITED MICROELECTRONICS CORPORATION

14-Jan-2022

Sample Name : UMC FINISHED WAFER

Style/Item No. : Cu PROCESS

Sample Receiving Date :

Testing Period : 14-Jan-2022 to 27-Jan-2022

Test Requested : (1) As specified by client, with reference to RoHS 2011/65/EU Annex II and amending

Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs,

DBP, BBP, DEHP, DIBP contents in the submitted sample(s).

(2) Please refer to next pages for the other item(s).

Test Results : Please refer to following pages.

Conclusion : (1) Based on the performed tests on submitted sample(s), the test results of Cadmium,

Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.





PIN CODE: 255AC18C



No.: ETR22103720 Date: 27-Jan-2022 Page: 2 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Part Description

No.1 : WAFER

Test Result(s)

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Cadmium (Cd) (CAS No.: 7440-43-9)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	100
	analysis was performed by ICP-OES.				
Lead (Pb) (CAS No.: 7439-92-1)	With reference to IEC 62321-5: 2013,	mg/kg	2	n.d.	1000
	analysis was performed by ICP-OES.				
Mercury (Hg) (CAS No.: 7439-97-6)	With reference to IEC 62321-4: 2013+	mg/kg	2	n.d.	1000
	AMD1: 2017, analysis was performed by				
	ICP-OES.				
Hexavalent Chromium Cr(VI) (CAS	With reference to IEC 62321-7-2: 2017,	mg/kg	8	n.d.	1000
No.: 18540-29-9)	analysis was performed by UV-VIS.				
Monobromobiphenyl		mg/kg	5	n.d.	-
Dibromobiphenyl		mg/kg	5	n.d.	-
Tribromobiphenyl		mg/kg	5	n.d.	-
Tetrabromobipheny l		mg/kg	5	n.d.	-
Pentabromobiphenyl		mg/kg	5	n.d.	-
Hexabromobipheny l		mg/kg	5	n.d.	-
Heptabromobiphenyl		mg/kg	5	n.d.	-
Octabromobiphenyl		mg/kg	5	n.d.	-
Nonabromobiphenyl		mg/kg	5	n.d.	-
Decabromobiphenyl		mg/kg	5	n.d.	-
Sum of PBBs	With reference to IEC 62321-6: 2015,	mg/kg	ı	n.d.	1000
Monobromodiphenyl ether	analysis was performed by GC/MS.	mg/kg	5	n.d.	-
Dibromodiphenyl ether		mg/kg	5	n.d.	-
Tribromodiphenyl ether		mg/kg	5	n.d.	-
Tetrabromodiphenyl ether		mg/kg	5	n.d.	-
Pentabromodiphenyl ether		mg/kg	5	n.d.	-
Hexabromodiphenyl ether		mg/kg	5	n.d.	-
Heptabromodiphenyl ether		mg/kg	5	n.d.	-
Octabromodiphenyl ether]	mg/kg	5	n.d.	-
Nonabromodiphenyl ether		mg/kg	5	n.d.	
Decabromodiphenyl ether]	mg/kg	5	n.d.	-
Sum of PBDEs		mg/kg	-	n.d.	1000



No.: ETR22103720 Date: 27-Jan-2022 Page: 3 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Di-(2-ethylhexyl) phthalate (DEHP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
(CAS No.: 117-81-7)	analysis was performed by GC/MS.				
Dibutyl phthalate (DBP) (CAS No.: 84-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
74-2)	analysis was performed by GC/MS.				
Butyl benzyl phthalate (BBP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
85-68-7)	analysis was performed by GC/MS.				
Diisobutyl phthalate (DIBP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	1000
84-69-5)	analysis was performed by GC/MS.				
Di-n-octyl phthalate (DNOP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
No.: 117-84-0)	analysis was performed by GC/MS.				
Diisodecyl phthalate (DIDP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
26761-40-0, 68515-49-1)	analysis was performed by GC/MS.				
Diisononyl phthalate (DINP) (CAS No.:	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
28553-12-0, 68515-48-0)	analysis was performed by GC/MS.				
Di-n-hexyl phthalate (DNHP) (CAS	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
No.: 84-75-3)	analysis was performed by GC/MS.				
1,2-Benzenedicarboxylic acid, di-C6-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
8-branched alkyl esters, C7-rich	analysis was performed by GC/MS.				
(DIHP) (CAS No.: 71888-89-6)					
1,2-Benzenedicarboxylic acid, di-C7-	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
11-branched and linear alkyl esters	analysis was performed by GC/MS.				
(DHNUP) (CAS No.: 68515-42-4)					
Bis(2-methoxyethyl) phthalate (DMEP)	With reference to IEC 62321-8: 2017,	mg/kg	50	n.d.	-
(CAS No.: 117-82-8)	analysis was performed by GC/MS.				
Fluorine (F) (CAS No.: 14762-94-8)		mg/kg	50	n.d.	ı
Chlorine (Cl) (CAS No.: 22537-15-1)	With reference to BS EN 14582: 2016,	mg/kg	50	n.d.	ı
Bromine (Br) (CAS No.: 10097-32-2)	analysis was performed by IC.	mg/kg	50	n.d.	-
Iodine (I) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
PFOS and its salts (CAS No.: 1763-23-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
1 and its salts)	analysis was performed by LC/MS/MS.				
N-ethylperfluoro-1-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
octanesulfonamide (EtFOSA) (CAS	analysis was performed by LC/MS/MS.				
No.: 4151-50-2)					
N-Methyl-Perfluoroctanesulfonamide	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
(N-Me-FOSA) (CAS No.: 31506-32-8)	analysis was performed by LC/MS/MS.				



No.: ETR22103720 Date: 27-Jan-2022 Page: 4 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
N-Ethyl-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
Perfluoroctanesulfonamidoethanol	analysis was performed by LC/MS/MS.				
(N-Et-FOSE alcohol) (CAS No.: 1691-					
99-2)					
N-Methyl-	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
Perfluoroctanesulfonamidoethanol	analysis was performed by LC/MS/MS.				
(N-Me-FOSE alcohol) (CAS No.:					
24448-09-7)					
Perfluoroctanesulfonamide (PFOSA)	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
(CAS No.: 754-91-6)	analysis was performed by LC/MS/MS.				
PFOA and its salts (CAS No.: 335-67-1	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
and its salts)	analysis was performed by LC/MS/MS.				
	With reference to CEN/TS 15968: 2010,	mg/kg	0.01	n.d.	-
acid (8:2 FTS) (CAS No.: 39108-34-4)	analysis was performed by LC/MS/MS.				
Methyl perfluorooctanoate (Me-	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
PFOA) (CAS No.: 376-27-2)	analysis was performed by GC/MS.				
Ethyl perfluorooctanoate (Et-PFOA)	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
(CAS No.: 3108-24-5)	analysis was performed by GC/MS.				
1H,1H,2H,2H-Perfluoro-1-decanol	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
(8:2 FTOH) (CAS No.: 678-39-7)	analysis was performed by GC/MS.				
1H,1H,2H,2H-Perfluorodecyl acrylate	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
(8:2 FTA) (CAS No.: 27905-45-9)	analysis was performed by GC/MS.				
1H,1H,2H,2H-Perfluorodecyl	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	=
methacrylate (8:2 FTMA) (CAS No.:	analysis was performed by GC/MS.				
1996-88-9)					
Perfluoro-1-iodooctane (PFOI) (CAS	With reference to CEN/TS 15968: 2010,	mg/kg	0.1	n.d.	-
No.: 507-63-1)	analysis was performed by GC/MS.				
Polychlorinated biphenyls (PCBs)	With reference to US EPA 3550C: 2007,	mg/kg	0.5	n.d.	-
	analysis was performed by GC/MS.				
Polychlorinated naphthalene (PCNs)	With reference to US EPA 3550C: 2007,	mg/kg	5	n.d.	-
	analysis was performed by GC/MS.				
Polychlorinated terphenyls (PCTs)	With reference to US EPA 3550C: 2007,	mg/kg	0.5	n.d.	-
	analysis was performed by GC/MS.				
Mirex (CAS No.: 2385-85-5)	With reference to US EPA 3550C: 2007,	mg/kg	5	n.d.	-
	analysis was performed by GC/MS.				



No.: ETR22103720 Date: 27-Jan-2022 Page: 5 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Short Chain Chlorinated	With reference to ISO 18219: 2015,	mg/kg	50	n.d.	-
Paraffins(C10-C13) (SCCP) (CAS No.:	analysis was performed by GC/MS.				
85535-84-8)					
Triphenyl tin (TPT)		mg/kg	0.03	n.d.	-
Tributyl tin (TBT)	With reference to ISO 17353: 2004,	mg/kg	0.03	n.d.	-
Dioctyl tin (DOT)	analysis was performed by GC/FPD.	mg/kg	0.03	n.d.	-
Dibutyl tin (DBT)		mg/kg	0.03	n.d.	-
Bis(tributyltin) oxide (TBTO) (CAS No.: 56-35-9)	Calculated from the result of Tributyl Tin (TBT).	mg/kg	0.03 ▲	n.d.	-
Chlorofluorocarbons (CFCs)					
CFC-13 (CAS No.: 75-72-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-111 (CAS No.: 354-56-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-112 (CAS No.: 76-12-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-211 (CAS No.: 422-78-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-212 (CAS No.: 3182-26-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-213 (CAS No.: 2354-06-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-214 (CAS No.: 29255-31-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-215 (CAS No.: 4259-43-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-216 (CAS No.: 661-97-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-217 (CAS No.: 422-86-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-12 (CAS No.: 75-71-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-11 (CAS No.: 75-69-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
CFC-115 (CAS No.: 76-15-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	
	analysis was performed by GC/MS.				



No.: ETR22103720 Date: 27-Jan-2022 Page: 6 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Method	Unit	MDL	Result	Limit
			No.1	
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.				
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.				
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.				
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.				
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.	3 3			
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
analysis was performed by GC/MS.	J. J			
With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	_
analysis was performed by GC/MS.	<i>J. J</i>			
	ma/ka	1	n.d.	-
analysis was performed by GC/MS.	<i>J</i> , <i>J</i>			
With reference to US EPA 5021A: 2014,	ma/ka	1	n.d.	-
•	3, 3			
, ,	mg/kg	1	n.d.	-
•	3, 3			
	ma/ka	1	n.d.	-
	3, 3			
	ma/ka	1	n.d.	_
·	3, 3			
	ma/ka	1	n.d.	_
,	3, 3			
	ma/ka	1	n.d.	-
,		_		
	ma/ka	1	n.d.	-
	9,9	_		
, ,	mg/ka	1	n.d.	_
•	9/ 1.9	_		
	ma/ka	1	n.d.	_
,	9/ 119	_		
	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.	With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS. With reference to US EPA 5021A: 2014, analysis was performed by GC/MS.



No.: ETR22103720 Date: 27-Jan-2022 Page: 7 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HCFC-225ca (CAS No.: 422-56-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-225cb (CAS No.: 507-55-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-226 (CAS No.: 431-87-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-231 (CAS No.: 421-94-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-232 (CAS No.: 460-89-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-233 (CAS No.: 7125-84-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-234 (CAS No.: 425-94-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	_
	analysis was performed by GC/MS.				
HCFC-235 (CAS No.: 460-92-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-241 (CAS No.: 666-27-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-242 (CAS No.: 460-63-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-244	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-251 (CAS No.: 421-41-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-252 (CAS No.: 819-00-1)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-261 (CAS No.: 420-97-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-262 (CAS No.: 421-02-03)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-271 (CAS No.: 430-55-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-141b (CAS No.: 1717-00-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-243 (CAS No.: 460-69-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				



No.: ETR22103720 Date: 27-Jan-2022 Page: 8 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HCFC-253 (CAS No.: 460-35-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-141	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-142	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-151	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HCFC-225	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Halons					
Halon-1211 (CAS No.: 353-59-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Halon-1301 (CAS No.: 75-63-8)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Halon-2402 (CAS No.: 124-73-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Bromomethane (CAS No.: 74-83-9)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Hydrobromofluorocarbons (HBFCs)					
HBFC-271B1 (C3H6FBr)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-262B1 (C3H5F2Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-261B2 (C3H5FBr2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-253B1 (C3H4F3Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-252B2 (C3H4F2Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-251B3 (C3H4FBr3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-244B1 (C3H3F4Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-243B2 (C3H3F3Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				



No.: ETR22103720 Date: 27-Jan-2022 Page: 9 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HBFC-242B3 (C3H3F2Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-241B4 (C3H3FBr4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-235B1 (C3H2F5Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-234B2 (C3H2F4Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-233B3 (C3H2F3Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-232B4 (C3H2F2Br4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-231B5 (C3H2FBr5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-226B1 (C3HF6Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-225B2 (C3HF5Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-224B3 (C3HF4Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-223B4 (C3HF3Br4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-222B5 (C3HF2Br5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-221B6 (C3HFBr6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-151B1 (C2H4FBr)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-142B1 (C2H3F2Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-141B2 (C2H3FBr2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-133B1 (C2H2F3Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-132B2 (C2H2F2Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				



No.: ETR22103720 Date: 27-Jan-2022 Page: 10 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HBFC-131B3 (C2H2FBr3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-124B1 (C2HF4Br)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-123B2 (C2HF3Br2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-122B3 (C2HF2Br3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-121B4 (C2HFBr4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HBFC-31B1 (CH2FBr) (CAS No.: 373-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
52-4)	analysis was performed by GC/MS.				
HBFC-22B1 (CHF2Br) (CAS No.: 1511-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
62-2)	analysis was performed by GC/MS.				
HBFC-21B2 (CHFBr2) (CAS No.: 1868-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
53-7)	analysis was performed by GC/MS.				
Hydrofluorocarbon (HFCs)					
HFC-23 (CHF3) (CAS No.: 75-46-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-32 (CH2F2) (CAS No.: 75-10-5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-41 (CH3F) (CAS No.: 593-53-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-43-10mee (C5H2F10)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-125 (C2HF5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-134 (C2H2F4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-134a (CH2FCF3) (CAS No.: 811-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
97-2)	analysis was performed by GC/MS.				
HFC-143 (CH3F3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-143a (CH3F3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				



No.: ETR22103720 Date: 27-Jan-2022 Page: 11 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
HFC-152a (C2H4F2) (CAS No.: 75-37-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
6)	analysis was performed by GC/MS.				
HFC-227ea (C3HF7) (CAS No.: 431-89-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	=
0)	analysis was performed by GC/MS.				
HFC-236fa (CAS No.: 431-63-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-245ca (C3H3F5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-245fa (C3H3F5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-365mfc (C4H5F5)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
HFC-236ea (C3H2F6) (CAS No.: 431-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
63-0)	analysis was performed by GC/MS.				
Perfluorocarbon (PFCs)					
1,4-dihydrooctafluorobutane (CAS	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
No.: 377-36-6)	analysis was performed by GC/MS.				
2-Perfluoromethylpentane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
355-04-4)	analysis was performed by GC/MS.				
Decafluorobutane (CAS No.: 355-25-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
9)	analysis was performed by GC/MS.				
F14 (CAS No.: 75-73-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Fluorocarbon 116 (CAS No.: 76-16-4)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Freon 218 (CAS No.: 76-19-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	=
	analysis was performed by GC/MS.				
Freon C318 (CAS No.: 115-25-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Nonafluor-2- (trifluoromethyl)butane	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	
(CAS No.: 594-91-2)	analysis was performed by GC/MS.				
Perfluorisobutene (CAS No.: 382-21-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
8)	analysis was performed by GC/MS.				
Perfluorohexane (CAS No.: 355-42-0)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				



No.: ETR22103720 Date: 27-Jan-2022 Page: 12 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Perfluoro-n-pentane (CAS No.: 678-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
26-2)	analysis was performed by GC/MS.				
Perfluor-1-butene (CAS No.: 357-26-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
6)	analysis was performed by GC/MS.				
Chlorinate hydrocarbon (CHCs)					
1,1-Dichloropropene (CAS No.: 563-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
58-6)	analysis was performed by GC/MS.				
1,2-Dichloroethane (CAS No.: 107-06-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
2)	analysis was performed by GC/MS.				
2,2-Dichloropropane (CAS No.: 594-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
20-7)	analysis was performed by GC/MS.				
Carbon tetrachloride (CAS No.: 56-23-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
5)	analysis was performed by GC/MS.				
Chloromethane (CAS No.: 74-87-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
cis-1,2-Dichloroethene (CAS No.: 156-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
59-2)	analysis was performed by GC/MS.	0 0			
cis-1,3-Dichloropropene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
10061-01-5)	analysis was performed by GC/MS.	0 0			
Hexachlorobutadiene (CAS No.: 87-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
68-3)	analysis was performed by GC/MS.				
trans-1,2-Dichloroethene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
156-60-5)	analysis was performed by GC/MS.				
trans-1,3-Dichloropropene (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
10061-02-6)	analysis was performed by GC/MS.				
Dichloromethane, Methylene chloride	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
(CAS No.: 75-09-2)	analysis was performed by GC/MS.				
1,2-Dichloropropane (CAS No.: 78-87-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
5)	analysis was performed by GC/MS.	3 3			
1,1,1,2-Tetrachloroethane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
630-20-6)	analysis was performed by GC/MS.				
1,1,1-Trichloroethane (CAS No.: 71-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
55-6)	analysis was performed by GC/MS.				
1,1,2-Trichloroethane (CAS No.: 79-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
00-5)	analysis was performed by GC/MS.				



No.: ETR22103720 Date: 27-Jan-2022 Page: 13 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
1,1,2,2-Tetrachloroethane (CAS No.:	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
79-34-5)	analysis was performed by GC/MS.				
1,1-Dichloroethylene (CAS No.: 75-35-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
4)	analysis was performed by GC/MS.				
1,1-Dichloroethane (CAS No.: 75-34-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
3)	analysis was performed by GC/MS.				
Chloroethane (CAS No.: 75-00-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Tetrachloroethene (CAS No.: 127-18-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
4)	analysis was performed by GC/MS.				
Trichloroethylene (CAS No.: 79-01-6)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
1,3-Dichloropropane (CAS No.: 142-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
28-9)	analysis was performed by GC/MS.				
Chloroform (CAS No.: 67-66-3)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
1,2,3-Trichloropropane (CAS No.: 96-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
18-4)	analysis was performed by GC/MS.				
Bromochloromethan (CAS No.: 74-97-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
5)	analysis was performed by GC/MS.				
Sulfur hexafluoride (CAS No.: 2551-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
62-4)	analysis was performed by GC/MS.				
Asbestos					
Actinolite (CAS No.: 77536-66-4)	With reference to EPA 600/R-93/116:	% (w/w)	ı	Negative	-
Amosite (CAS No.: 12172-73-5)	1993, analysis was performed by Stereo	% (w/w)	1	Negative	=
Anthophyllite (CAS No.: 77536-67-5)	Microscope (SM), Dispersion Staining	% (w/w)	ı	Negative	_
Chrysotile (CAS No.: 12001-29-5)	Polarized Light Microscope (DS-PLM)	% (w/w)	ı	Negative	-
Crocidolite (CAS No.: 12001-28-4)	and X-ray Diffraction Spectrometer	% (w/w)	ı	Negative	-
Tremolite (CAS No.: 77536-68-6)	(XRD).	% (w/w)	-	Negative	-
AZO Dyes					
4-aminodiphenyl (CAS No.: 92-67-1)	With reference to EN ISO 14362-1: 2017,	mg/kg	3	n.d.	
	analysis was performed by GC/MS and				
	HPLC/DAD.				
Benzidine (CAS No.: 92-87-5)	With reference to EN ISO 14362-1: 2017,	mg/kg	3	n.d.	-
	analysis was performed by GC/MS and				
	HPLC/DAD.				



No.: ETR22103720 Date: 27-Jan-2022 Page: 14 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
4-chloro-o-toluidine (CAS No.: 95-69- 2)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2-naphthylamine (CAS No.: 91-59-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-aminoazotoluene (CAS No.: 97-56-3)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	ı
5-nitro-o-toluidine (CAS No.: 99-55-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-chloroaniline (CAS No.: 106-47-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4-diaminoanisole (CAS No.: 615-05-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-diaminodiphenylmethane (MDA) (CAS No.: 101-77-9)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dichlorobenzidine (CAS No.: 91-94-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dimethoxybenzidine (CAS No.: 119-90-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dimethylbenzidine (CAS No.: 119- 93-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
3,3'-dimethyl-4,4'- diaminodiphenylmethane (CAS No.: 838-88-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2-methoxy-5-methylaniline (CAS No.: 120-71-8)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-



No.: ETR22103720 Date: 27-Jan-2022 Page: 15 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
4,4'-methylene-bis-(2-chloroaniline) (CAS No.: 101-14-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-oxydianiline (CAS No.: 101-80-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4,4'-thiodianiline (CAS No.: 139-65-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-toluidine (CAS No.: 95-53-4)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4-diaminotoluene (CAS No.: 95-80-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,4,5-trimethylaniline (CAS No.: 137- 17-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
o-anisidine (CAS No.: 90-04-0)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
4-aminoazobenzene (CAS No.: 60-09-3)	With reference to EN ISO 14362-1: 2017 or/and EN ISO 14362-3: 2017, analysis was performed by GC/MS & HPLC/DAD.	mg/kg	3	n.d.	-
2,4-xylidine (CAS No.: 95-68-1)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
2,6-xylidine (CAS No.: 87-62-7)	With reference to EN ISO 14362-1: 2017, analysis was performed by GC/MS and HPLC/DAD.	mg/kg	3	n.d.	-
Ethylene glycol monomethyl ether (CAS No.: 109-86-4)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	10	n.d.	=
2-Ethoxyethanol (CAS No.: 110-80-5)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	10	n.d.	-
Diethylene glycol dimethyl ether (DEGDME) (CAS No.: 111-96-6)	With reference to US EPA 3550C: 2007, analysis was performed by GC/MS.	mg/kg	10	n.d.	-



No.: ETR22103720 Date: 27-Jan-2022 Page: 16 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
Uranium (U) (Radioactive element)		mg/kg	1	No.1 n.d.	_
(CAS No.: 7440-61-1) Thorium (Th) (Radioactive element) (CAS No.: 7440-29-1)	With reference to US EPA 3052: 1996 &	mg/kg	1	n.d.	-
Strontium (Sr) (Radioactive element) (CAS No.: 7440-24-6)	6020B: 2014, analysis was performed by ICP-MS.	mg/kg	1	n.d.	-
Caesium (Cs) (Radioactive element) (CAS No.: 7440-46-2)		mg/kg	1	n.d.	-
Polyvinyl chloride (PVC)	With reference to ASTM E1252: 2013, analysis was performed by FT-IR and Flame Test.	**	-	Negative	-
Arsenic (As) (※ E)	With reference to RSTS-EE-SVHC-007, analysis was performed by ICP-OES.	mg/kg	50	n.d.	-
Diarsenic pentaoxide (As₂O₅) (CAS No.: 1303-28-2)	Calculated from the result of Arsenic.	mg/kg	50▲	n.d.	-
Diarsenic trioxide (As ₂ O ₃) (CAS No.: 1327-53-3)	Calculated from the result of Arsenic.	mg/kg	50▲	n.d.	-
Beryllium (Be) (CAS No.: 7440-41-7)	With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Nickel (Ni) (CAS No.: 7440-02-0)	With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.		2	n.d.	-
Selenium (Se) (CAS No.: 7782-49-2)	With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Boron (B) (X E)	With reference to RSTS-EE-SVHC-007, analysis was performed by ICP-OES.	mg/kg	50	n.d.	=
Boric Acid (H ₃ BO ₃) (CAS No.: 10043- 35-3, 11113-50-1)	Calculated from the result of Boron.	mg/kg	50▲	n.d.	-
Disodium tetraborate, anhydrous (CAS No.: 1303-96-4, 1330-43-4, 12179-04-3)			50▲	n.d.	-
Tetraboron disodium heptaoxide, hydrate (CAS No.: 12267-73-1)	Calculated from the result of Boron.	mg/kg	50▲	n.d.	-
Antimony (Sb) (CAS No.: 7440-36-0)	With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-
Barium (Ba) (CAS No.: 7440-39-3)	With reference to US EPA 3050B: 1996, analysis was performed by ICP-OES.	mg/kg	2	n.d.	-



No.: ETR22103720 Date: 27-Jan-2022 Page: 17 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Test Item(s)	Method	Unit	MDL	Result	Limit
				No.1	
Benzene (CAS No.: 71-43-2)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	_
	analysis was performed by GC/MS.				
1,1-Dichloroethylene (CAS No.: 75-35-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
4)	analysis was performed by GC/MS.				
Tetrachloroethylene (CAS No.: 127-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
18-4)	analysis was performed by GC/MS.				
Dichloromethane, Methylene chloride	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
(CAS No.: 75-09-2)	analysis was performed by GC/MS.				
Pentachloroethane (CAS No.: 76-01-7)	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Formaldehyde (CAS No.: 50-00-0)	With reference to ISO 17226-1: 2021,	mg/kg	3	n.d.	-
	analysis was performed by LC/DAD.				
1,2-Dichloroethylene (CAS No.: 540-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
59-0)	analysis was performed by GC/MS.				
Pentachlorobenzene (CAS No.: 608-	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
93-5)	analysis was performed by GC/MS.				
Dimethyl fumarate (DMFu) (CAS No.:	With reference to US EPA 3550C: 2007,	mg/kg	0.1	n.d.	-
624-49-7)	analysis was performed by GC/MS.				
2-benzotriazol-2-yl-4,6-di-tert-	With reference to US EPA 3550C: 2007,	mg/kg	5	n.d.	-
butylphenol (UV-320) (CAS No.: 3846-	analysis was performed by GC/MS.				
71-7)					
4-tert-Octylphenol (CAS No.: 140-66-	With reference to US EPA 3550C: 2007,	mg/kg	10	n.d.	-
9)	analysis was performed by GC/MS.				
TBBP-A-bis (CAS No.: 21850-44-2)	With reference to US EPA 3550C: 2007,	mg/kg	5	n.d.	-
	analysis was performed by GC/MS.				
Perchlorate (CAS No.: 14797-73-0)	Analysis was performed by IC.	μg/g	0.006	n.d.	-
Bis(chloromethyl)ether (CAS No.: 542-	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	
88-1)	analysis was performed by GC/MS.				
Aromatic Hydrocabons	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Polychlorinated phenols	With reference to US EPA 8041A: 2007,	mg/kg	10	n.d.	-
	analysis was performed by GC/MS.				
Dichloroethene	With reference to US EPA 5021A: 2014,	mg/kg	1	n.d.	-
	analysis was performed by GC/MS.				
Tetrabromobisphenol A (TBBP-A)	With reference to RSTS-E&E-121,	mg/kg	10	n.d.	-
(CAS No.: 79-94-7)	analysis was performed by LC/MS.				



No.: ETR22103720 Date: 27-Jan-2022 Page: 18 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Note:

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit
- 3. n.d. = Not Detected (Less than MDL)
- 4. "-" = Not Regulated
- 5. **= Qualitative analysis (No Unit)
- 6. Negative = Undetectable; Positive = Detectable
- 7. Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 8. PFOS and its salts including:
 - CAS No.: 29081-56-9, 2795-39-3, 29457-72-5, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7.
- 9. PFOA and its salts including:
 - CAS No.: 3825-26-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0.
- 10. ▲ : The MDL was evaluated for element / tested substance.

Conversion Formula : $AX = A \times F$

AX	Α	F
Diarsenic pentaoxide	Arsenic	1.5339
Diarsenic trioxide	Arsenic	1.3203
Boric acid	Boron	5.7184
Disodium tetraborate, anhydrous	Boron	4.6531
Disodium tetraborate, pentahydrate	Boron	6.7361
Disodium tetraborate, decahydrate	Boron	8.8191
Bis(tributyltin)oxide (TBTO)	Tributyl Tin (TBT)	1.024

Parameter Conversion Table: https://eecloud.sgs.com/Region_TW/DocDownload.aspx#otherDoc

- 11. (XE): The extracted soluble Boron / Arsenic are detected by ICP-OES.
- 12. The statement of compliance conformity is based on comparison of testing results and limits.




No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart of Heavy Metal

These samples were dissolved totally by pre-conditioning method according to below flow chart.

(Cr⁶⁺ test method excluded)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 19 of 35




No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart - PBBs / PBDEs

GC/MS



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 20 of 35




No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart - Phthalate

【Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 21 of 35



No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart - Halogen



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 22 of 35



No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 23 of 35




No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart

* Apply to: PCBs, PCNs, PCTs, Mirex, Chlorinated Paraffins, DBBT



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 24 of 35



No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart - Organic-Tin



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 25 of 35




No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart of volatile organic compounds (VOCs)

[Reference method: US EPA 5021A]



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 26 of 35



No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analysis flow chart for determination of Asbestos [Reference method: EPA 600/R-93/116]



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 27 of 35



No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart - Ethylene glycol ether



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 28 of 35



No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analysis flow chart - PVC



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 29 of 35




No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Flow Chart of digestion for the elements analysis performed by ICP-OES

These samples were dissolved totally by pre-conditioning method according to below flow chart.



Steel, copper, aluminum, solder	Aqua regia, HNO ₃ , HCI, HF, H ₂ O ₂
Glass	HNO₃/HF
Gold, platinum, palladium, ceramic	Aqua regia
Silver	HNO₃
Plastic	H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
Others	Added appropriate reagent to total digestion

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 30 of 35



No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart - Formaldehyde



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law, Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 31 of 35



No.: ETR22103720 Date: 27-Jan-2022 Page: 32 of 35

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart - Dimethyl Fumarate






No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart - TBBP-A-bis

First testing process
Optional screen process
Confirmation process



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Page: 33 of 35



No.: ETR22103720 Date: 27-Jan-2022

UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

Analytical flow chart - TBBP-A



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 34 of 35




No.: ETR22103720 Date: 27-Jan-2022


UNITED MICROELECTRONICS CORPORATION NO. 3, LI-HSIN 2ND ROAD, HSINCHU SCIENCE PARK, HSINCHU, TAIWAN, R. O. C.

* The tested sample / part is marked by an arrow if it's shown on the photo. *

ETR22103720



ETR22103720



** End of Report **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, independent on expression and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Page: 35 of 35